



3M Masking Tapes and Masking Systems



Scotch® Masking Tapes



Selecting the right masking tape

1. Find the part of the home on the chart that best represents what you're painting.
2. Look for the surface you need to mask (this is not the surface you are painting!)
3. If more than one tape is recommended for a surface, consider removal time and adhesion level needed to help determine the right tape for your project.

	Scotch® Masking Tape for hard-to-stick surfaces 2060	ScotchBlue™ Original multi-surface 2090	ScotchBlue™ Advanced multi-surface 2093	ScotchBlue™ Delicate multi-surface 2080	Scotch® Masking Tape for Very Delicate surfaces 2070
1. Area you need to mask					
Freshly painted non-textured surfaces	NR	NR	NR	✓	✓
Walls & Ceilings					
Heavy textured surfaces	NR	✓	NR	NR	NR
Light textured surfaces	NR	✓	✓	TEST	NR
Smooth textured surfaces	NR	NR	✓	✓	✓
Vinyl coated wallpaper, borders	NR	NR	NR	✓	✓
Skirting boards, Windows & Door Trim					
Wood Trim – Heavy Grain (Oak, hickory)	✓	✓	✓	TEST	NR
Wood Trim – Smooth Grain (Birch, ash, maple)	✓	✓	✓	✓	NR
Vinyl, Aluminium, Metal Trim	✓	✓	✓	✓	NR
Floors					
Solid Hardwood - Finished	NR	NR	NR	✓	✓
Solid Hardwood - Unfinished	✓	✓	NR	NR	NR
Carpet	✓	✓	NR	NR	NR
Marble, slate, stone, Concrete	✓	✓	✓	NR	NR
Vinyl, Laminate	✓	✓	✓	✓	✓
Other interior surfaces					
Countertops, Tile, Grout, Caulk	✓	✓	✓	TEST	NR
Glass, Porcelain	✓	✓	✓	✓	✓
Other exterior surfaces					
Brick, Block, Stone, Concrete	✓	✓	✓	NR	NR
Glass	✓	✓	✓	NR	NR
Vinyl, Aluminium, Metal Trim	✓	✓	✓	NR	NR
2. Clean removal time	3-days	14-days	14-days	60-days	7-days
3. Interior/exterior	Interior/exterior	Interior/exterior	Interior/exterior	Interior only	Interior only

✓ = Recommended. TEST = Test compatibility before use as results can vary. NR = Not Recommended.

Any queries please contact us using the details below



Station Approach, Windmill Lane
Cheshunt , Herts EN8 9AX
Tel: 0800 100 500 Email: sales@colemanbros.co.uk